1 3 5 9

DESCRIPTIVE CATALOG

FRUI.T-TREES

ORANGE COUNTY NURSERY, INC.

GROWERS


WHOLESALERS

NORWALK

CALIFORNIA

13249 E. Firestone Blvd. P.O. Box 566

University 4-2880 UNiversity 3-5512



### PROPER PLANTING AND CARE OF PRUIT TREES.

PRUNING FOR PLANTING: Most nursery froit trees have a number of lateral tranches radiating from the brane tetween 24 and 48 inches above the bud union. Teleph a point just above three or four symmetrically placed laterals and log off the balance of the top with charp hand shears. Then chorten in the celepted laterals to 3 or 4 buds, or "eyes". Trim off all other lateral growth. The root system of old be examined for loose ends of broken roots. Chicale any be present, perefully remove them above the treaks.

Some varieties, such as chornic; do not have lateral growth development as young nursery of or. Colons tapes or four healthy looking buds 24-48 isomes above the tot union and log off the fours above these. Later in the spring you will be able to set of the tar a or four laterals wanted for future development and dispense of all others. To JUPE TO KEEP THE ROOTS OF YOUR TREET BUT ALL TREET TO EXPLORE THE ROOTS OF YOUR TREET BUT ALL TREET TO EXPLORE THE

PLANTING: Dig large, spanieur holes of least half again the size of the root system. While shoveling out, even the top poil in a separate pile from the subsoil and overchall cions. Wolf the bal anion at surface level while pushing in the toposil first about one coop; following with the subsoil altest to carface level. Apply a also stream of vater in to the newly following so it to settle it ciptly about one roots. The water dues a far none efficient job then transping with reary pages. And TOTEPHORE THE PRITATION OF PUAL MORE USED PLANTING TOTES TOTES.

INTIGATION: Provide a basin eround the wase of your fruit trace large on wat to necessariate of in the gallons of water. Make regular investigations with a hoo the water the cry trace in the istermine the condition of the subsurface tool, and when it appears only, irrigate, A calch of year rote or straw in the irrigation has in will prevent oracking it heavy soils and conserve mointary in all abils. After your young in as have become established you can use a rules of stray and storm namers.

FBRTILLSATISE: Do not use a composite fortilizer until three menths after planting, when use a telemost conservable fortilizer. All FFRTILIZERS SHOULD BE APPLIED TO THE UNPACK. WIT IN DIPTOL TOWNS TO THE USE ROOFS. About & count of balances a substitute for this read of virtual into the soil in the irrigating basin and washed to the rest area by succeeding irrigations. They this we a place plants if a mature tree, following the rest growth extract for a the base of the order with ever-widoning circles of application.

CHITIVATERAL is required to provide the provention of multi-re equandering weed growth and to provide team of peritrotion for the hour application of water or rainfall. Jeavy poils are anolised to exace upon inving out and note that ough and frequent ruliivation. Do not cultivate so deeply that confide fibrus rots are as again to exposed and be careful not to "care" the transfer of years, the transfer of years,

PRUMING: Daring the first summer try to acep the new or with confined to the development of three or four well-created main branches. Trip off all unreceptary growth. Then the leaves have drapped in late fall, cut back the sain branches and third to one-half. Exception: Cherry trees should not be out eack; remove conflicting transher only.



# I N D E X

Fruit	Page
Almonds	. 4
Apples	• 5
Apricots	. 1
Cherries	. 6
Citrus	. 8-9
Figs.,	. 4
Flowering Nectarine	. 7
Flowering Peaches	. 7
Flowering Plums	. 7
Fruiting Flowering Peaches	. 7
Grapevines	. 10
Nectarines	. 2
Peaches, Freestane	. 1-2
Peaches, Clingstone	. 2
Fears	. 5-6
Persimmons	. 6
Plum3	. 3
Pomegranates	. 6
Prunes	• 3
Quince	. 6
Walnuta	7

• • • • • • • • • •		****	
• • • • • • • • • •		***	
• • • • • • • • • • • • • • • • • • • •	•••••		
• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	
• • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·	
***************************************	• • • • • • • • • •		
•••••••	• * * • • • • • • • • • • • • • • • • •	•• (0) • (1)	
• 4 • • • • • • • • • • • • • • • • • •	· • 3 · • • • • • · · · ·		
	* * * * * * * * * * * * * * * * * * * *		
	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •	
*********	* * * * * * * »	······	
•••••••		· • • • · · · · · · · · · · · · · · · ·	
* * * · · · · · · · · · · · · · · · · ·	• * • • • • • • • • • • • • • • • • • •		
	• • • • • • • • • • • • • •		
• • • • • • • • • • • • •		** • • • • • • • • • • • • • • • • • •	
		· · · · · · · · · · · · · · · · · · ·	
		· · · · · · · · · · · · · · · · · · ·	

BLENHEIM-Above medium size; Fruit round-oblong, skin olear orangeyellow with bright red blush, tender and free. Flesh clear crangeyellow, juicy and sweet, vigorous arower. Late June.

E. NEWCADILE-Fruit medium wine and round; skin lemon-yellow, flesh deep yellow, red cheeks. juicy one sweet. Early Junc.

MOGRPARK-large highly o lorest rich, interious flavor; brownish red; quite firm. A favorite home cannied versity. Late Junc.

NOTAL-Large well from a streative front. The fleen as delicious and deep trange in other large to the form home planting. Fine.

TILTON-Very large. light range heart a upon fruit, flash firm and parts readily from the stone. A newly become, fire grained. July.

#### FREED TOME PEACHES

BABOOCK-A medium mized whith-flacket frequency with a high blugh. A favorite mid merly white-flack is freeze to with pleasing flavor. Juicy. Late June.

EARLY But MRTA-A very good cords type closerta. Large, elengated, yellow freestens. Sain rolden well width and reach.
Two weeks caption than Elberta. Lote Cane.

FLEERTA-large, aluming them ared; which didn't will's, their with red where explose to lun; very rise and tweet. In his brin't leading peach for all yerp less. Dut duly sit terly At, hit.

WAY FIRTHERTARDinger of the Election types. Large froit is yellow with a heavy red blues in the chies. Then, then diner and own to then the ordinary Elleria. Thell hit. Front fries contain than Elleria. Ripens a few days later than Elleria. Front here have annual variety. Late Fuly. Farly August.

GOLDEN Pluck-Righly flavores for it sicensus in the case beasen age Elberta, which is resembles. The role that the talabet faintlen in Southern California than Est roa. The Colo.

GOIDEM J Dall RE-large yellow freezfory with rea tinge. Flesh yellow, juicy. If good earling quality. For him or old lovel was. June.

HALE HAVEN-A new early soliton is solved of large tire. Ther good; flack firm; a cold chipper. Reriy dely.

IMP. PARCOCK-Medium to large, white with rel check. Early July.

INDIAN BLUCD-Large, reand. weller front; deep rad at stone. Bather fart until fully ripe. Seed if rechipping and here use. August.

J.H. HALK-Popular large round peach. Frois very benetiful. Flesh firm, yellow and of flee flavor. August.

MILLER'S DATE-The latest ripening from the no, and a good for the home orchard in warmer sections. Frant is set in to large, if good quality and a heavy bearer.

Output Deptember.

Page 1



MECTAR-An excellent, medium carly, white fleshed freestance. Of large size. Its beautiful coloring and distinctive ar no make it a favorite home orchard variety. Firm, juley flesh and fine "extured. Ripening in Late June-July.

RIO OCC GEV-Large, red flashed well w from the delicious firm yellow flesh, red at tip. Ripening about two works after J.H. Hale. Farly Aug.

SAUCER-This redism white-skinned, white-floched beach gets its name from its peculiar flat chape; exceedingly sweet, justy, out delicious. It is not affected by mild winter elimeted and ripers a large crap always. For this reason is in the fine total fact my peaches for warm climates. June.

STRANCERRY FREE-A during early white place. Greaty white rain, partly covered with a dark rad. Unite flesh with a tempency to a quite rad at the pit; tender and plicy. Johnshid toble peach if r b r reburd plantings. Early July.

BONITA-Fruit is medium to large the sine. Thin e is relief to live we with a deep red bluch; then is gell wowith fingers of gine stronging into it. Flav reseat. For erese a ser e set; less shilling the publication. August.

VENTURA-The fruit is blicktly flatteas; and is also it without a pointed tip. Attractive in appearance, set is soften in all the pellow with a red bitch. Fig. is is ableed for yellow with a red bitch. Fig. is is ableed for yellow of a soften in a simple for venture formary. Will-d in

## CALCAC ALT PERME

HEATH-Median to larger dressy white with a light red clash. Then white. July and delicitus. A few part of relate paraist. Sate of the

INDIAN BIOGRAMARIAN SIRA: Sheebill pail of monthle continuor . August.

craffe-Large fruit of unkformation. Clear which enlar, larted bed. deep golden thank very tire, with educated flavor. We also adming variety. Early August.

SIMS-barge, inif re whoma froit. A liber wellow with the Photh out of and deep yellow to the git. The spice bear-you have rite with a charge. Mid-Aug.

STRAMBERRY-A larged direct, white florand cling of exquicite flaver. ckin creasy-white merblod with compared. One of the four rite has canning white cling tones. I presser.

## TENDER IN A STORY

GOLD MINE-Large attractive fruit, balicies flow r. White flow with some red at the pit, which has parallely from the first verioties for home canning and outling from. July.

GOWER-Medium round with loop read to I re fineh ereany whitee refaish pink at pit. Fine freest no for early market. Forly Addr.

JOHN RIVERS-Medias to large size, ericaen colored in ext sed check. Flesh greenish white. A good quality coni-fecult no. Fil-J.s.

STANVICK-Redium, pale green with deep red cheens; a delicher flav red Freestone; fleeh white and juicy. Joed for drying, canning. Wid-August.

Page 2 ORANGE COUNCY TURIERY, IEC. COPMARK, CALIFORNIA



EBAUTY-Large to redium, bright rod, yell w fleshed tinged with red. One of the better early varieties, tree in our ng. vigorous grower. Good shipper. Early June. Soli fertile.

BIUE DAMSCK-Medium, reancish val: dark purple franctine, fruit tart, a good plum for caraine and precerves. Deptember.

BURBAFA-Wedium lorget yell w. m. tolod read floor yellow; small pit. Very productive. July.

EL DIRADI-Medius longe, flats to at sequents when red (elm.or black) flats of a service involved religion, Flets when ripe, sweet, as newhar iny. If ny sign to ar were late July.

FIEPHANT HEART-A wary large from the the control of expellent quality. Fruit Peers and control well. Three is largy had you were Enrily August.

CREEN GAGE-Medium; round val. inlunc equally: thin straw yellow with light bloom, faintly spieched. Flech a lifen yellow, juicy, tender ord sweet. Tree very or another, exectled for a rehard. August.

FOMARD MEASTE (Part.) -Fixtra large. Follow with red black, at ber Thesh. Tally to Associate.

LAS. TABLE I TASIT residence size, fire floor end of cotting qualities. The front to be one in a lore pulse, and her to bleading tors flavor. The tree of an eprile or constant sory productive. The August.

Plimono-large of motor, the continuous for the term of application applications.

TACLA & THELDON, there, purell interest in Court, well a warran with alignic look before. The colling parpulation must be using gallow veined, gink to warranger, all the life of colliness of the colliness of th

Pallika-11 of the tension of animomorphism of the large almost result from the first section of the first section

WINTER Lieur vitto o i sreigh crippers. File to garretrical, large and heart-chapet. This coerray red to deep coerlett filch ember, firm and signy. Google fly r. Fleat with however in labora hora, August.


#### FREE TERMS

FRENCH-Culifornia's le il. grant. frant deman si al dare 'lle; chin tender flein d'fine i xtori, rich ari accury. Eugist i "ept. culf fertile.

EARLY ITALIAN-Medicant large: well and taped that the ends. Plue calor. September.

CTALTART-Fruit large, wark purple: flesh arter, flas grained, Juicy and owest; a free time, ricening in Algebra.

GUGAR-large, carly, cark purple prune of codic quality. Flesh sweet and a good variet, for chirpling or drying. August. Calf fertile.



### 

DRAKE-A good o no-roial but to salve in bear; uniform erabs from year to year and adapt site-if to help be made out this? . Medium tire, almost round, with a residence of salvil, process and self-billed with a good kernal. As a librate of the salvil.

IXL-This veristy trians the righter sein. In out, herketel in the shell because of it offers servered and experience and every kernels. The net is a contract of larger sign of respect to a pright grown, as it seems?

 $1090A. \ \ \text{LA-fit}$  against the second of the horizontal Alphaels. Very early blocks, in a second of the second of the first of the second of the first second of the second of the

EF PLUS ILTRA-Protein as the number of rolling as a collection and hearth of lead on the world of numbers. Following ly, and in a commercial featurity. Use her seasoned, exect and equally flat red. Thank with the Profession is a conserver.

NIW PARIEL-Mind of a freehold of and the self-destrict. Heavy and regular bearer to large, it is and term was personally automofined action for a color. Tengo or self-destrict actions and flagur. Flant with large, 1984 or 11 colors.

IBNAS PO LISTO-1010 part of location of the bounds is chart, plant one of real residual and a Fericle A late 11 of the Signal of .

#### 

PLACE MICCOLD VICE to the control of the control of

BRIVE CREEK There is not not referred to property of the transfer of street remarks, fine contracts of the figure of the contract of the street of the stree

IMP. FR WI I I'M Fi- imilar to broke a recty out own herefr.

Pasto 4

WAT fillered into a china one observation were ty. From for discussion, thin thin and light of the area of ry light write fingly with time and figure fills of the constant of the street of the street and the street of the str

The skin is purplish trans to pull amber.

W. OFFCA-Huge whith dig, Fractions for planting resortic coast; also beard well inland. Fruit is rear-unaped with a wask well wokin and ewest amber flock. A cost to a public.

THOMPSON-The famous 3 to a pint fig. vie most and an isotive of large gelicities over the flaces of large Brown larkey with the pass of park justifier.



## A P P I F

BETERIY WILLS-Sevel yes the thought on Telis. Medium dire with red and yellow stripes. Aurant.

GRAVESCILLS-The fruit in three one round, but to ally strip a with red. Tricpy, received as you will not be validate, in a configuration of the contract of th

JukalHaber fam min terket, birgin dar i kinn mariety. Proit medium vinc, romaich ent a Discrie dans i medium floch a delle no de la respective dans i floch a delle no entre dans i de la respective de la respective dans i de la respective dans i de la respective dans i de la respective de la

RELUCINITY to an energy way to into the total law energy and pulpped on the first of the fill of energy and for the energy f

LAIN RE-Found to Lain the sound of the control of t

W. Balline to the property of the total description of the total description. Fruit by the first of the total description of the first of the property of the first of the fir

y.M. IMA of a line is a figuration of the bottom of the line of large size, by in the large size, by in the large size, by in the large size of the large si

YELL TRITTED TRUIT COMES TO SEE THE SECOND OF THE PROPERTY OF THE WELLOW WITH A THE SECOND OF THE SE

TWE . I TO TO THE SERVICE OF A COLOR OF THE CONTROL OF THE CONTROL OF A CINE OF A CONTROL OF A C

Yel. 177 - SITTI - Product of Landon or sold of the second form, or less of the control of the c

EFGL Poses (4) and a fraction of the speciment of a first property and the first property and the speciment of the speciment

Than 32 1727 1734 with the level of the control of another in the flattered at the file of the control of the control of an analysis of the control of the c

PARTIRITATE of the testing our law, orping, of sunder lear. First large which well with the content of the line of the triplet of the triplet grain bright yell we study as the head of the content of the partiries. Professing on the content of Assoct.

BURRE D'ADACT-O : e dide encoct poli me per esta orimo a filosa. A gold outilg come miponion in o stouton.

M. (BLI) - mail to ...dil... beli etablization diba flea rea 'muito. exhellent al rethe e ent. The trop. God tear maner a litalizat.

Page 5 64.35 200 LY LUR FMY, INC., CORVALY, CALIFORNIA



W. BaRILETT-A targe pear, regenerating farthett in anape, cally and flaving but rigaring a ry late. The true is tery productive and the fruit keeps remarkably well. This is the fully car which a son to do well in the Imperial Valley and similar a set inc. I worker.

#### CHURKIEN

BING-Large deliving the product of mion, first purplied fleth. Excell no for eating, renals of expension to be included. Purply Richmond. Black Cartonion on English Corrells. Mid-Succ.

REACT TOTALIANAMENT OF THE CONTRACT PURELESS PLANTS TRACT TRACT AND A SERVICE TOTALISM OF THE CONTRACT OF THE

MUNITARED TERMS of the production of the composition, or expline, quiex-from the fact at the first of the composition of the terms of the composition of the terms of the composition of the composition of the terms of the composition of the c

FROM A transfer that the contract of sump. For all we for given, A and a limit of the Fig. , where the sum of the contract of the figure (1,1)

noval abli-large, light of r. 1960, e with per. A favorite for cating, canning and progress, lugar what were becomesing, but a func.

# 

PINEARPID-Applies happens with  $x=\pm 1$  . In the eligible politic, these white forces, the political planes of the  $x_0$  denotes by x.

v. Tirvad-lere, ele e e mantiler polonich er es. Extre tire uselite. Tete Softenier.

William the second design of the control of the control of the important of the control of the c

## Park Inchina

HATTIYA-Fruit of by len of the control of the kind bright of the charge year, who is the character of the character of the control of the con

FIYUUBARA y unquent producer a lill, all larra production definit for the texture. It is no little product to be a contractable to but as nice appointing as Machiga such ty. Risens the country.

Take Pak-A very lerge fruit. It is three to dive inches in diemeter weighing for a double and like or bid on a process of glotsly around the stee end, accordingles of glots in the few controllers. The his best because of the execution paking and hands appearance of the fruit. Pipens late

ognonLATE-Pruit is chall, brown Thomas non-comingent. Out ler-Starmber.

#### WARE TO SERVE STATE

EURPEA-Popular orthern Julifornia variety. Large, obling nuts of fine appearance. Shells are rether thire, will sealed; kernel light cream colored. Holds up well in manuing, opt acid large uproubt to e. Fine connectal variety and a group research to the

FARTIEY-Large, clightly later but for inh quality. The tree concallate bearing very early and in onlike to report our rebit to growth. Tree is a little alor to be seen to let.

PAYME-Its corly bearing one energy or faction a so it a pullar variety. The net is abling, rather a set of a pullar variety. kernel full. Provided notes and a set of respect of an action to the current full. Provided notes and a series of respect to the series of the provided than their varieties.

TRUMAT BLATE WAILTI- jesi-s stock 11. Horavit crer.

## 

EARLY TICK-Earlie, to contribute to complete to make the LAIF MINK-Bondtie of pince of a contribute of the contribute of a contribute of the contribute of t

## TRUE IN THE RESERVE TO A SECOND SERVED TO BE EXCEPTED.

Dally 1000 4-0.22- to vrote the late, or been 15 to 18 petalo. Sruit highly one recovery bettermined to the form of recovery bettermined to the form of the fully

# 

FROM IS ESTIMATED in a substitution of the su

PRUNDO 1900.19801 UI-R blim lind up to stocker . Microber of sarly white flowers for social or an area of line holding of lor through at the species.

PRUNUC VESUVI Walks I star on the art to be smilleast rest. A fine armagental troop for life to the classic of the large rest.

PRUMUTE PLITBIALA- rilliant read foliogo later terming greenish. Painty of the deather pick that a lite that he also read to a in apring. Taraly any fruit.

#### FICTERICAL CONTRACTOR

ALMA CTILIP-Assira fl wered welts, plan cost re traggast.

Page 7 PAKGS OF LIVERS DRY, INC. . FRWAIK, CALIFORMIA

All til La. OFFICE No. a derk grown, glossy, olopket beed of foliage. Out to walk in the tinter quantities of its deep redish-grange in the content flavor. The correct to Varch.

Branch of the CIME-Fin of and largest foold lines. Teachers, juicy from the northy outly of the current, which his cours in domand. Large view as the also to the polycom.

In the New Years is not of the Name of the Property of medium size and the Property of and judge. Then follow rips the Flace is blood-rest, the first of the indicate and the peak of wind a season to the cutsaide. The first of an extract of the face and a sixth of the first of an extract of the first. When the first of the first

The two fruit is very large and it also that thick and squally . From the type adding habit; a heavy rearry. Tipens a ntinuously.

in The Tree is a specific polar of the Mandarin runges. The pres is a common subject of the front is median to large in size, is like a marge-row of the wnj factorated la chape. It is a common function of the common functions of May.

The lattice for a few totals promoted and home planting.

The lattice only few codes. The trouble will at the volces and

the lattice only few codes. The trouble will at the volces and

the lattice only few codes. The trouble with the bulk of

the lattice, the lattice oring was exercised in exceedings

the lattice of the lattice of any other sites were profit.


Rice Init nythin Network Tathura and Hing Manharin is the form of the control of

. The profession of the control of t

include Reliable on the property of the one too fruit hange of the calculation. The one property of the fruit is generally to the calculation of delicities full practically becaless.

In the requirement of the tree of long of a solble. It is at its because in the course long of the control of the course form the course of cyamptrical propertions. Now to august.

in it is in the front of the hardy, respectful, semi-dwarf fruits to end from the rient. It can be an an either as a tubed tree or an error of all are full-higher tree. Erical over a wide range, in the name of the cast, as all as in the name interior valleys. The interior over an interior valleys. The interior over an interior political and interior political and interior over the cast of California.



PAUDERCSA IFMON-A novelty fruit for home planting, the fruit attaining Enormous cize, often le inches in sirearfarence. The tree is dwarf, quite hardy, and the fruit is of a quality. Usually bears first year after planting and ripens statically throughout the year.

FIME GRAPEPREID-Identical to Merch Weetlage except floch is pink or red. May to August.

RANGPUM LIME-This is one of the bartiest of the limes, and bears extremely heavy erims of small froit of a beautiful deep grange color. Fruit is extremly acid and a little , also makes a let of age. Nev-March.

BOBERTSON NAVEL-Pridsess an energies or prigoting. Pears younger and earlier than Washington Navel.


CAMPTON TABGELO-This is the best known of the Tangelos, and its goldenyellow, glossy skinned frairs are filled with a delicious orange-red jaice which continue in a cold beful way the tested tang of the grapefrant and the oprightliness of the langerine. Next so the Kara Mandarin we consider this to have the vot told like the files of all citrus fruits. February to May.

CATIONA TAIGURING The herdisest erance that we grow, and for this reason can be planted where the politic feelful till not exceed. It is also the earliest tangening to higher, not risk long a fore thristman, and its big, flat. It be-diment and pulcy. The true is a semi-dumpt, or the contract of feet right, hearing while very young, Movember to Arrib.

CWIRT IIME The trust of this curiety has the characteristic lime flayor, but the juice is an eyest that it say so taken with a augus. Darge, yellow, very joing fracts ended fork like a borrowed lesse. A large, handerne tree which have a most endage a first, and is a midderably cardier than either Bears or Tokinson. The order first this fruit excellent to eat any time at a mand and that the place means a most refreshing and who can call tains. Describer to Tay.

VALENCIA-The book compet image the will warm to the Velencia. As the navel season of the libraries of some to season of the libraries of some and are available the uon to the compet and fall somether. The medium-chied fruit is juicy and later to the form of the season of the largest of all citrus varieties. We to do not see the large the United States come. If most value are a season of the United States come. If most value are a season of the United States come.

MAININGION SAVEL-chir for the second of a center rigenia, crange is largely responsible for Calad rate's could tile citrus from The fruit is large, with the cheresteristic and local second each suit is fine r, guicelness and general has be publicly. It is not a sociled by only ther Trange. The skin pecks off reasily, while the second per eachly ceparated with out broaking. Shile resilly ar we anything in deathern Salifornia, it is at its in the social desthills and valleys a few miles Femuvod from the sect. Texaster is April.



#### GRAPEVINES

EASTERN CONCORD-Round stlid blue black berries of medium size, apherical with blue bloom, clusters medium to large, broadly tapering, shingle shouldered, skin thick and t ugh. Fine for juice and jelly. August.

BLACK MONTKWA-A black seedless grape of medium size: elangated, tender skin; excellent crisp sweet flavor. August to September.

CARDINAL-The cordinal is an early dark grape ripening three weeks before Thomps.n Seedless and four weeks before Red Malaga. Berries about at large as Ribier in diameter, spherical, grayish bloom. Clusters are medium to large, conical in shape and not heavily shouldered. The frait is firm and holds up well in chipping. An excellent table grape with slight Muscat flavor. Late July.

LADY FINGER-Ripens mid-season. Vary large, long cylindrical shaped white grape. It has vary brittle stars. This is an improved lady finger type grape. Thriftier grower. August.

MUSCAT-Glusters medium pized; of uldered losse and conical, berries large, observed, dull green, peeded with moderately tough skin, home use, wine and raisins. September.

TOKAY-One of California's most pupillar chipping grapes. Large oblong berries burne in immense bunches. Fals red skin covered with liled bloom; flesh is firm, juicy and crackling, with good vinous flavor. Heavy producer. Ceptember.

THOMPSON SPEDIERS-(alifernia's best seems table and raisin grape. Oval, greenish yellow bersies contain no seed. Produced in exceptionally heavy bunches. Good arbor grape. August to September.

1 1 10 566

U. S. DEPARTMENT OF AGRICULTURE LIBRARY

WASHINGTON 25, D. C.

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE OF
(GPO)
POSTAGE AND FEES PAID
L.S. DEPARTMENT OF AGRICULTURE